NIST Special Publication 881-86

# Federal Implementation Guideline for Electronic Data Interchange

## ASC X12 003060 Transaction Set 830R Planning Schedule with Release Capability (Special Program Requirements)

## Implementation Convention

**U.S. DEPARTMENT OF COMMERCE**
Technology Administration
National Institute of
Standards and Technology

**NIST**

*T*he National Institute of Standards and Technology was established in 1988 by Congress to "assist industry in the development of technology . . . needed to improve product quality, to modernize manufacturing processes, to ensure product reliability . . . and to facilitate rapid commercialization . . . of products based on new scientific discoveries."

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry's competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency's basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department's Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering, and develops measurement techniques, test methods, standards, and related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST's research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Publications and Program Inquiries Desk, 301-975-3058.

## Office of the Director
- National Quality Program
- International and Academic Affairs

## Technology Services
- Standards Services
- Technology Partnerships
- Measurement Services
- Technology Innovation
- Information Services

## Advanced Technology Program
- Economic Assessment
- Information Technology and Applications
- Chemical and Biomedical Technology
- Materials and Manufacturing Technology
- Electronics and Photonics Technology

## Manufacturing Extension Partnership Program
- Regional Programs
- National Programs
- Program Development

## Electronics and Electrical Engineering Laboratory
- Microelectronics
- Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields[1]
- Electromagnetic Technology[1]
- Optoelectronics[1]

## Chemical Science and Technology Laboratory
- Biotechnology
- Physical and Chemical Properties[2]
- Analytical Chemistry
- Process Measurements
- Surface and Microanalysis Science

## Physics Laboratory
- Electron and Optical Physics
- Atomic Physics
- Optical Technology
- Ionizing Radiation
- Time and Frequency[1]
- Quantum Physics[1]

## Materials Science and Engineering Laboratory
- Intelligent Processing of Materials
- Ceramics
- Materials Reliability[1]
- Polymers
- Metallurgy
- NIST Center for Neutron Research

## Manufacturing Engineering Laboratory
- Precision Engineering
- Automated Production Technology
- Intelligent Systems
- Fabrication Technology
- Manufacturing Systems Integration

## Building and Fire Research Laboratory
- Structures
- Building Materials
- Building Environment
- Fire Safety Engineering
- Fire Science

## Information Technology Laboratory
- Mathematical and Computational Sciences[2]
- Advanced Network Technologies
- Computer Security
- Information Access and User Interfaces
- High Performance Systems and Services
- Distributed Computing and Information Services
- Software Diagnostics and Conformance Testing

[1] At Boulder, CO 80303.
[2] Some elements at Boulder, CO.

# Federal Implementation Guideline for Electronic Data Interchange

## ASC X12 003060 Transaction Set 830R Planning Schedule with Release Capability (Special Program Requirements)

## Implementation Convention

Electronic Commerce Acquisition Program Management Office
Standard Management Committee - Secretariat
National Institute of Standards and Technology
Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

September 1998

## Reports on Information Technology

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

# 830 Planning Schedule with Release Capability

## Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Planning Schedule with Release Capability Transaction Set (830) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business practice relative to the transfer of forecasting/material release information between organizations.  The planning schedule transaction may be used in various ways or in a combination of ways, such as: (1) a simple forecast; (2) a forecast with the buyer's authorization for the seller to commit to resources, such as labor or material; (3) a forecast that is also used as an order release mechanism, containing such elements as resource authorizations, period-to-date cumulative quantities, and specific ship/delivery patterns for requirements that have been represented in "buckets," such as weekly, monthly, or quarterly. The order release forecast may also contain all data related to purchase orders, as required, because the order release capability eliminates the need for discrete generation of purchase orders.

## Notes:

*1. Organizations use this transaction set to transmit Special Program Requirements (SPRs) to Inventory Control Points (ICPs)/Integrated Material Managers (IMMs).*

*2. Use a single occurrence of this transaction set to transmit SPR transactions to one or more ICPs/IMMs.  Use one occurrence of this transaction set to transmit a single or multiple transactions.*

## Heading:

| | Pos. No. | Seg. ID | Name | Req. Des. | Max.Use | Loop Repeat | Notes and Comments |
|---|---|---|---|---|---|---|---|
| Must Use | 010 | ST | Transaction Set Header | M | 1 | | |
| Must Use | 020 | BFR | Beginning Segment for Planning Schedule | M | 1 | | |
| Not Used | 025 | XPO | Preassigned Purchase Order Numbers | O | >1 | | |
| Not Used | 040 | CUR | Currency | O | 1 | | |
| Not Used | 050 | REF | Reference Identification | O | 12 | | |
| Not Used | 060 | PER | Administrative Communications Contact | O | 3 | | |
| Not Used | 070 | TAX | Tax Reference | O | 3 | | |
| Not Used | 080 | FOB | F.O.B. Related Instructions | O | 1 | | |
| Not Used | 090 | CTP | Pricing Information | O | 25 | | |
| Not Used | 100 | SAC | Service, Promotion, Allowance, or Charge Information | O | 25 | | |
| Not Used | 110 | CSH | Sales Requirements | O | 1 | | |
| Not Used | 120 | ITD | Terms of Sale/Deferred Terms of Sale | O | 2 | | |
| Not Used | 130 | DTM | Date/Time Reference | O | 10 | | |
| Not Used | 140 | PID | Product/Item Description | O | 200 | | |
| Not Used | 150 | MEA | Measurements | O | 40 | | |
| Not Used | 160 | PWK | Paperwork | O | 25 | | |
| Not Used | 170 | PKG | Marking, Packaging, Loading | O | 25 | | |
| Not Used | 180 | TD1 | Carrier Details (Quantity and Weight) | O | 2 | | |
| Not Used | 190 | TD5 | Carrier Details (Routing Sequence/Transit Time) | O | 12 | | |
| Not Used | 200 | TD3 | Carrier Details (Equipment) | O | 12 | | |
| Not Used | 210 | TD4 | Carrier Details (Special Handling, or Hazardous Materials, or Both) | O | 5 | | |

| | Pos. No. | Seg. ID | Name | Req. Des. | Max.Use | Loop Repeat | Notes and Comments |
|---|---|---|---|---|---|---|---|
| Not Used | 220 | MAN | Marks and Numbers | O | 10 | | |
| | | | LOOP ID - N1 | | | 200 | |
| Must Use | 230 | N1 | Name | O | 1 | | |
| Not Used | 240 | N2 | Additional Name Information | O | 2 | | |
| Not Used | 250 | N3 | Address Information | O | 2 | | |
| Not Used | 260 | N4 | Geographic Location | O | 1 | | |
| Not Used | 270 | REF | Reference Identification | O | 12 | | |
| Not Used | 280 | PER | Administrative Communications Contact | O | 3 | | |
| Not Used | 290 | FOB | F.O.B. Related Instructions | O | 1 | | |
| | | | LOOP ID - LM | | | >1 | |
| Not Used | 300 | LM | Code Source Information | O | 1 | | |
| Not Used | 310 | LQ | Industry Code | M | 100 | | |

## Detail:

| | Pos. No. | Seg. ID | Name | Req. Des. | Max.Use | Loop Repeat | Notes and Comments |
|---|---|---|---|---|---|---|---|
| | | | LOOP ID - LIN | | | >1 | |
| Must Use | 010 | LIN | Item Identification | M | 1 | | |
| Not Used | 020 | UIT | Unit Detail | O | 1 | | |
| Not Used | 021 | DTM | Date/Time Reference | O | 10 | | |
| Not Used | 030 | CUR | Currency | O | 1 | | |
| Not Used | 060 | PO3 | Additional Item Detail | O | 25 | | |
| Not Used | 070 | CTP | Pricing Information | O | 25 | | |
| Not Used | 080 | PID | Product/Item Description | O | 1000 | | |
| Not Used | 090 | MEA | Measurements | O | 40 | | |
| Not Used | 100 | PWK | Paperwork | O | 25 | | |
| Not Used | 110 | PKG | Marking, Packaging, Loading | O | 25 | | |
| Not Used | 120 | PO4 | Item Physical Details | O | 1 | | |
| Not Used | 130 | PRS | Part Release Status | O | 1 | | |
| Must Use | 140 | REF | Reference Identification | O | 12 | | |
| Not Used | 150 | PER | Administrative Communications Contact | O | 3 | | |
| Not Used | 170 | SAC | Service, Promotion, Allowance, or Charge Information | O | 25 | | |
| Not Used | 180 | ITD | Terms of Sale/Deferred Terms of Sale | O | 2 | | |
| Not Used | 190 | TAX | Tax Reference | O | 3 | | |
| Not Used | 200 | FOB | F.O.B. Related Instructions | O | 1 | | |
| Not Used | 210 | LDT | Lead Time | O | 12 | | |
| Not Used | 220 | QTY | Quantity | O | >1 | | n1 |
| Not Used | 230 | ATH | Resource Authorization | O | 20 | | |
| Not Used | 240 | TD1 | Carrier Details (Quantity and Weight) | O | 1 | | |
| Not Used | 250 | TD5 | Carrier Details (Routing Sequence/Transit Time) | O | 12 | | |
| Not Used | 260 | TD3 | Carrier Details (Equipment) | O | 12 | | |
| Not Used | 270 | TD4 | Carrier Details (Special Handling, or Hazardous Materials, or Both) | O | 5 | | |
| Not Used | 280 | MAN | Marks and Numbers | O | 10 | | |
| Not Used | 290 | DD | Demand Detail | O | 10 | | |
| | | | LOOP ID - SLN | | | 100 | |
| Not Used | 300 | SLN | Subline Item Detail | O | 1 | | |
| Not Used | 310 | PID | Product/Item Description | O | 1000 | | |
| Not Used | 315 | NM1 | Individual or Organizational Name | O | 10 | | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **LOOP ID - N1** | | | | | | 200 | |
| Must Use | 320 | N1 | Name | O | 1 | | |
| Not Used | 330 | N2 | Additional Name Information | O | 2 | | |
| Not Used | 340 | N3 | Address Information | O | 2 | | |
| Not Used | 350 | N4 | Geographic Location | O | 1 | | |
| Not Used | 360 | REF | Reference Identification | O | 12 | | |
| Not Used | 370 | PER | Administrative Communications Contact | O | 3 | | |
| Not Used | 380 | FOB | F.O.B. Related Instructions | O | 1 | | |
| **LOOP ID - LM** | | | | | | >1 | |
| Must Use | 390 | LM | Code Source Information | O | 1 | | |
| Must Use | 400 | LQ | Industry Code | M | 100 | | |
| **LOOP ID - FST** | | | | | | >1 | |
| Must Use | 410 | FST | Forecast Schedule | O | 1 | | n2 |
| Not Used | 420 | SDQ | Destination Quantity | O | 50 | | |
| **LOOP ID - LM** | | | | | | >1 | |
| | 430 | LM | Code Source Information | O | 1 | | |
| Must Use | 440 | LQ | Industry Code | M | 100 | | |
| **LOOP ID - SDP** | | | | | | 260 | |
| Not Used | 450 | SDP | Ship/Delivery Pattern | O | 1 | | |
| Not Used | 460 | FST | Forecast Schedule | O | 260 | | |
| **LOOP ID - SHP** | | | | | | 25 | |
| Not Used | 470 | SHP | Shipped/Received Information | O | 1 | | |
| Not Used | 480 | REF | Reference Identification | O | 5 | | |

## Summary:

| | Pos. No. | Seg. ID | Name | Req. Des. | Max.Use | Loop Repeat | Notes and Comments |
|---|---|---|---|---|---|---|---|
| Not Used | 010 | CTT | Transaction Totals | O | 1 | | n3 |
| Must Use | 020 | SE | Transaction Set Trailer | M | 1 | | |

## Transaction Set Notes

1.  QTY is used to specify supplemental quantities relevant to the forecast function. However, QTY is not related to the actual forecast quantity in the FST segments.
2.  At least one occurrence of segment FST is required, either in the FST loop or within the SDP loop. These two loops are mutually exclusive.
3.  Number of line items (CTT01) is the accumulation of the number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (FST01) for each FST segment.

| Segment: | **ST** **Transaction Set Header** |
|---|---|
| **Position:** | 010 |
| **Loop:** | |
| **Level:** | Heading |
| **Usage:** | Mandatory |
| **Max Use:** | 1 |
| **Purpose:** | To indicate the start of a transaction set and to assign a control number |
| **Syntax Notes:** | |
| **Semantic Notes:** | 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set). |
| **Comments:** | |

### Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | ST01 | 143 | **Transaction Set Identifier Code** | **M ID 3/3** |
| | | | Code uniquely identifying a Transaction Set | |
| | | | 830      X12.14 Planning Schedule with Release Capability | |
| Must Use | ST02 | 329 | **Transaction Set Control Number** | **M AN 4/9** |
| | | | Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set | |
| | | | *A unique number assigned by the originator of the transaction set, or the originator's application program.* | |

| | | |
|---|---|---|
| Segment: | **BFR** Beginning Segment for Planning Schedule | |
| Position: | 020 | |
| Loop: | | |
| Level: | Heading | |
| Usage: | Mandatory | |
| Max Use: | 1 | |
| Purpose: | To indicate the beginning of a planning schedule transaction set; whether a ship or delivery based forecast; and related forecast envelope dates | |
| Syntax Notes: | 1 | At least one of BFR02 or BFR03 is required. |
| Semantic Notes: | 1 | If BFR01 contains the value "04" (Net Change), BFR09 is required. |
| | 2 | BFR02 is the identifying number for a forecast assigned by the orderer/purchaser. |
| | 3 | BFR06 is the forecast horizon start date: The date when the forecast horizon (envelope) begins. |
| | 4 | BFR07 is the forecast horizon end date: The date when the forecast horizon (envelope) ends. |
| | 5 | BFR08 is the date forecast generated: The date the forecast data was generated. |
| | 6 | BFR09 is the date forecast updated: The date the forecast was updated with "net change" data. (Used only when data element 353 in BFR01 contains the value "04", meaning net change.) |
| Comments: | | |

## Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | BFR01 | 353 | **Transaction Set Purpose Code** | M ID 2/2 |

Code identifying purpose of transaction set

| | |
|---|---|
| 00 | Original |
| 77 | Simulation Exercise |

*Use to identify a simulated mobilization exercise transaction set. Activities initiating simulated mobilization exercises must ensure complete coordination with all activities involved. All transaction set recipients must use extreme caution to ensure that individual transactions do not process as action documents which affect accountable records.*

| | | | | |
|---|---|---|---|---|
| Must Use | BFR02 | 127 | **Reference Identification** | X AN 1/30 |

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

*Use code "Z" for this data element to satisfy mandatory X12 syntax requirements.*

| | | | | |
|---|---|---|---|---|
| Not Used | BFR03 | 328 | **Release Number** | X AN 1/30 |

Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction

| | | | | |
|---|---|---|---|---|
| Must Use | BFR04 | 675 | **Schedule Type Qualifier** | M ID 2/2 |

Code identifying the type of dates used when defining a shipping or delivery time in a schedule or forecast

| | |
|---|---|
| PR | Planned Requirement Based |

*Use to indicate requirements data reflecting planned program requirement projections not based on historical demand.*

| | | | | |
|---|---|---|---|---|
| Must Use | BFR05 | 676 | **Schedule Quantity Qualifier** | M ID 1/1 |

Code identifying the type of quantities used when defining a schedule or forecast

| | |
|---|---|
| A | Actual Discrete Quantities |

*Use to indicate that quantities reflect discrete requirements.*

| Must Use | BFR06 | 373 | Date | M | DT 6/6 |

Date (YYMMDD)

*Must use to identify the forecast period start date for which all identified material support should be available. This date represents the outside start date for all table 2 iterations.*

| | BFR07 | 373 | Date | O | DT 6/6 |

Date (YYMMDD)

*Use to identify the forecast period end date for which all identified material support should be available. This date represents the outside end date for all table 2 iterations.*

| Must Use | BFR08 | 373 | Date | M | DT 6/6 |

Date (YYMMDD)

*Use to identify the transaction set preparation date. This date corresponds to the Universal Time Coordinate (UTC).*

| Not Used | BFR09 | 373 | Date | O | DT 6/6 |

Date (YYMMDD)

| Not Used | BFR10 | 367 | Contract Number | O | AN 1/30 |

Contract number

| Not Used | BFR11 | 324 | Purchase Order Number | O | AN 1/22 |

Identifying number for Purchase Order assigned by the orderer/purchaser

| Must Use | BFR12 | 783 | Planning Schedule Type Code | O | ID 2/2 |

Code identifying type of planning schedule used

XA          Requirement Forecast

*Must use to indicate the transaction is an SPR forecast.*

| Not Used | BFR13 | 306 | Action Code | O | ID 1/2 |

Code indicating type of action

| Segment: | **N1** Name |
|---|---|
| **Position:** | 230 |
| **Loop:** | N1 Optional (Must Use) |
| **Level:** | Heading |
| **Usage:** | Optional (Must Use) |
| **Max Use:** | 1 |
| **Purpose:** | To identify a party by type of organization, name, and code |
| **Syntax Notes:** | 1 At least one of N102 or N103 is required. |
| | 2 If either N103 or N104 is present, then the other is required. |
| **Semantic Notes:** | |
| **Comments:** | 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. |
| | 2 N105 and N106 further define the type of entity in N101. |
| **Notes:** | *Must use this 1/N1/230 loop to identify the organization originating the transaction set.* |

## Data Element Summary

| | Ref. Des. | Data Element | Name | | Attributes |
|---|---|---|---|---|---|
| Must Use | N101 | 98 | **Entity Identifier Code** | | M ID 2/2 |
| | | | Code identifying an organizational entity, a physical location, or an individual | | |
| | | | | 41 | Submitter |
| | | | | | Entity transmitting transaction set |
| | | | | | *Must use to identify the submitter of the SPR requirement.* |
| Not Used | N102 | 93 | **Name** | | X AN 1/35 |
| | | | Free-form name | | |
| Must Use | N103 | 66 | **Identification Code Qualifier** | | X ID 1/2 |
| | | | Code designating the system/method of code structure used for Identification Code (67) | | |
| | | | | 1 | D-U-N-S Number, Dun & Bradstreet |
| | | | | 9 | D-U-N-S+4, D-U-N-S Number with Four Character Suffix |
| | | | | 10 | Department of Defense Activity Address Code (DODAAC) |
| | | | | M4 | Department of Defense Routing Identifier Code (RIC) |
| | | | | | An integral and predetermined participant in an established logistical system performing general logistic control, distribution, and storage functions |
| Must Use | N104 | 67 | **Identification Code** | | X AN 2/20 |
| | | | Code identifying a party or other code | | |
| Not Used | N105 | 706 | **Entity Relationship Code** | | O ID 2/2 |
| | | | Code describing entity relationship | | |
| Must Use | N106 | 98 | **Entity Identifier Code** | | O ID 2/2 |
| | | | Code identifying an organizational entity, a physical location, or an individual | | |
| | | | | FR | Message From |
| | | | | | *Must use to indicate the organization cited in N104 is originating the transaction set.* |

|  | Segment: | **LIN** Item Identification |
|---|---|---|
|  | Position: | 010 |
|  | Loop: | LIN     Mandatory |
|  | Level: | Detail |
|  | Usage: | Mandatory |
|  | Max Use: | 1 |
|  | Purpose: | To specify basic item identification data |

| Syntax Notes: | | |
|---|---|---|
|  | 1 | If either LIN04 or LIN05 is present, then the other is required. |
|  | 2 | If either LIN06 or LIN07 is present, then the other is required. |
|  | 3 | If either LIN08 or LIN09 is present, then the other is required. |
|  | 4 | If either LIN10 or LIN11 is present, then the other is required. |
|  | 5 | If either LIN12 or LIN13 is present, then the other is required. |
|  | 6 | If either LIN14 or LIN15 is present, then the other is required. |
|  | 7 | If either LIN16 or LIN17 is present, then the other is required. |
|  | 8 | If either LIN18 or LIN19 is present, then the other is required. |
|  | 9 | If either LIN20 or LIN21 is present, then the other is required. |
|  | 10 | If either LIN22 or LIN23 is present, then the other is required. |
|  | 11 | If either LIN24 or LIN25 is present, then the other is required. |
|  | 12 | If either LIN26 or LIN27 is present, then the other is required. |
|  | 13 | If either LIN28 or LIN29 is present, then the other is required. |
|  | 14 | If either LIN30 or LIN31 is present, then the other is required. |

| Semantic Notes: | 1 | LIN01 is the line item identification |
|---|---|---|
| Comments: | 1 | See the Data Dictionary for a complete list of IDs. |
|  | 2 | LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU. |
| Notes: | | *Must use the 2/LIN/010 loop to identify the type of transaction, material, transaction number, and information associated with the projected requirement.* |

### Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | LIN01 | 350 | Assigned Identification | O   AN 1/20 |

Alphanumeric characters assigned for differentiation within a transaction set

*A - SPR submission*

*B - SPR Security Assistance (SPR SA) submission*

*C - Cancellation of previously submitted SPR*
    *Use indicates cancellation of the entire open SPR quantity.*

*D - Modification of a previously submitted SPR*

*E - Inquiry on status of previously submitted SPR*

*F - Acceptance of offer to provide substitute material*

*G - Rejection of offer to provide substitute material*

| | | | | |
|---|---|---|---|---|
| Must Use | LIN02 | 235 | Product/Service ID Qualifier | M   ID 2/2 |

Code identifying the type/source of the descriptive number used in Product/Service ID (234)
*Use only one of codes A1, A2, A4, FB, FS, MG, TP or YP to identify the material. Must use National Stock Number (NSN) when known.*

    A1            Plant Equipment Number
                       Item identifier is a plant equipment number

*Use to identify plant equipment.*

| | | |
|---|---|---|
| A2 | Department of Defense Identification Code (DoDIC) | |
| | Qualifies a code that uniquely identifies a type of explosive or ammunition | |
| | *Use to identify ammunition items.* | |

A4       Subsistence Identification Number

Item identifier is a brand-name resale subsistence item

*Use to identify subsistence items.*

FB       Form Number

*Use to identify the form stock number.*

FS       National Stock Number

*Must use the NSN when known.*

MG       Manufacturer's Part Number

*Use to identify nonstandard material.*

TP       Product Type Code

*For clothing and footwear, use to identify the NSN when the material requested represents a generic requirement for which the quantity should be distributed across a predefined range of sizes.*

YP       Publication Number

*Use to identify the publication stock number.*

| Must Use | LIN03 | 234 | **Product/Service ID** | **M** | **AN 1/40** |
|---|---|---|---|---|---|
| | | | Identifying number for a product or service | | |
| | LIN04 | 235 | **Product/Service ID Qualifier** | **X** | **ID 2/2** |
| | | | Code identifying the type/source of the descriptive number used in Product/Service ID (234) | | |

ZB       Commercial and Government Entity (CAGE) Code

A code that identifies a commercial contractor authorized to do business with the U.S. government

*Use with LIN02 code MG to uniquely identify a manufacturer's part number.*

| | LIN05 | 234 | **Product/Service ID** | **X** | **AN 1/40** |
|---|---|---|---|---|---|
| | | | Identifying number for a product or service | | |
| Not Used | LIN06 | 235 | **Product/Service ID Qualifier** | **X** | **ID 2/2** |
| | | | Code identifying the type/source of the descriptive number used in Product/Service ID (234) | | |
| Not Used | LIN07 | 234 | **Product/Service ID** | **X** | **AN 1/40** |
| | | | Identifying number for a product or service | | |
| Not Used | LIN08 | 235 | **Product/Service ID Qualifier** | **X** | **ID 2/2** |
| | | | Code identifying the type/source of the descriptive number used in Product/Service ID (234) | | |
| Not Used | LIN09 | 234 | **Product/Service ID** | **X** | **AN 1/40** |
| | | | Identifying number for a product or service | | |
| Not Used | LIN10 | 235 | **Product/Service ID Qualifier** | **X** | **ID 2/2** |
| | | | Code identifying the type/source of the descriptive number used in Product/Service ID (234) | | |
| Not Used | LIN11 | 234 | **Product/Service ID** | **X** | **AN 1/40** |
| | | | Identifying number for a product or service | | |

| Not Used | LIN12 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN13 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN14 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN15 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN16 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN17 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN18 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN19 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN20 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN21 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN22 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN23 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN24 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN25 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN26 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN27 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN28 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN29 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| Not Used | LIN30 | 235 | Product/Service ID Qualifier | X | ID 2/2 |
|---|---|---|---|---|---|

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

| Not Used | LIN31 | 234 | Product/Service ID | X | AN 1/40 |
|---|---|---|---|---|---|

Identifying number for a product or service

| | | | | |
|---|---|---|---|---|
| **Segment:** | **REF** Reference Identification | | | |
| **Position:** | 140 | | | |
| **Loop:** | LIN | Mandatory | | |
| **Level:** | Detail | | | |
| **Usage:** | Optional (Must Use) | | | |
| **Max Use:** | 12 | | | |
| **Purpose:** | To specify identifying information | | | |
| **Syntax Notes:** | 1 | At least one of REF02 or REF03 is required. | | |
| | 2 | If either C04003 or C04004 is present, then the other is required. | | |
| | 3 | If either C04005 or C04006 is present, then the other is required. | | |
| **Semantic Notes:** | 1 | REF04 contains data relating to the value cited in REF02. | | |
| **Comments:** | | | | |
| **Notes:** | *Must use to identify the transaction number associated with the SPR forecast.* | | | |

### Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | REF01 | 128 | **Reference Identification Qualifier** <br> Code qualifying the Reference Identification | M ID 2/3 |
| | | | TN            Transaction Reference Number | |
| Must Use | REF02 | 127 | **Reference Identification** <br> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier | X AN 1/30 |
| Not Used | REF03 | 352 | **Description** <br> A free-form description to clarify the related data elements and their content | X AN 1/80 |
| Not Used | REF04 | C040 | **Reference Identifier** <br><br> To identify one or more reference numbers or identification numbers as specified by the Reference Qualifier | O |
| Not Used | C04001 | 128 | **Reference Identification Qualifier** <br> Code qualifying the Reference Identification | M ID 2/3 |
| Not Used | C04002 | 127 | **Reference Identification** <br> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier | M AN 1/30 |
| Not Used | C04003 | 128 | **Reference Identification Qualifier** <br> Code qualifying the Reference Identification | X ID 2/3 |
| Not Used | C04004 | 127 | **Reference Identification** <br> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier | X AN 1/30 |
| Not Used | C04005 | 128 | **Reference Identification Qualifier** <br> Code qualifying the Reference Identification | X ID 2/3 |
| Not Used | C04006 | 127 | **Reference Identification** <br> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier | X AN 1/30 |

| | |
|---|---|
| **Segment:** | **N1** Name |
| **Position:** | 320 |
| **Loop:** | N1      Optional (Must Use) |
| **Level:** | Detail |
| **Usage:** | Optional (Must Use) |
| **Max Use:** | 1 |
| **Purpose:** | To identify a party by type of organization, name, and code |
| **Syntax Notes:** | 1    At least one of N102 or N103 is required. |
| | 2    If either N103 or N104 is present, then the other is required. |
| **Semantic Notes:** | |
| **Comments:** | 1    This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. |
| | 2    N105 and N106 further define the type of entity in N101. |
| **Notes:** | *1. Must use one iteration of this 2/N1/320 loop to identify the organization to receive the transaction.* |
| | *2. Use additional iterations to identify other organizations associated with the transaction.* |

## Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | N101 | 98 | **Entity Identifier Code** | **M   ID 2/2** |

Code identifying an organizational entity, a physical location, or an individual

    KA             Item Manager

The address of the person responsible for the management of an item of supply
*Must use to identify the ICP/IMM.*

    P1             Preparer

The firm, organization, or individual who determines the tax liability from information supplied by the taxpayer
*Use to identify the originator of the SPR when different from the submitting activity identified by 1/N101/230 code 41.*

    ST             Ship To

*1. Use in SPR transactions, except SPR modifications, to identify the organization expected to receive the material.*

*2. Use in SPR modification transactions to identify the revised organization expected to receive the material.*

    ZD             Party to Receive Reports

The organization designated to receive reports
*Use to identify a party to receive a copy.*

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Not Used | N102 | 93 | **Name** | **X   AN 1/35** |

Free-form name

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | N103 | 66 | **Identification Code Qualifier** | **X   ID 1/2** |

Code designating the system/method of code structure used for Identification Code (67)

    1             D-U-N-S Number, Dun & Bradstreet

    9             D-U-N-S+4, D-U-N-S Number with Four Character Suffix

|  | 10 | Department of Defense Activity Address Code (DODAAC) |
|--|----|------------------------------------------------------|
|  | A2 | Military Assistance Program Address Code (MAPAC) |

Contained in the Military Assistance Program Address Directory (MAPAD); represents the location of an entity

***Use as required for security assistance transactions (2/LIN01/010 code B) to indicate the structured MAPAC for the ship-to address (2/N1010/320 code ST).***

|  | M4 | Department of Defense Routing Identifier Code (RIC) |
|--|----|-----------------------------------------------------|

An integral and predetermined participant in an established logistical system performing general logistic control, distribution, and storage functions

| Must Use | N104 | 67 | **Identification Code** | | X | AN 2/20 |
|----------|------|-----|-------------------------|--|---|---------|
|  |  |  | Code identifying a party or other code | | | |
| Not Used | N105 | 706 | **Entity Relationship Code** | | O | ID 2/2 |
|  |  |  | Code describing entity relationship | | | |
|  | N106 | 98 | **Entity Identifier Code** | | O | ID 2/2 |

Code identifying an organizational entity, a physical location, or an individual

|  | TO | Message To |
|--|----|-----------|

***Must use with 2/N101/320 code KA to identify the organization cited in N104 is receiving the transaction.***

| | | | |
|---|---|---|---|
| **Segment:** | **LM** Code Source Information | | |
| **Position:** | 390 | | |
| **Loop:** | LM | Optional (Must Use) | |
| **Level:** | Detail | | |
| **Usage:** | Optional (Must Use) | | |
| **Max Use:** | 1 | | |
| **Purpose:** | To transmit standard code list identification information | | |
| **Syntax Notes:** | | | |
| **Semantic Notes:** | | | |
| **Comments:** | 1 | LM02 identifies the applicable industry code list source information. | |
| **Notes:** | *Use the 2/LM/390 loop to identify coded information maintained in department or agency documentation.* | | |

## Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | LM01 | 559 | Agency Qualifier Code | M ID 2/2 |
| | | | Code identifying the agency assigning the code values | |
| | | | DF Department of Defense (DoD) | |
| Not Used | LM02 | 822 | Source Subqualifier | O AN 1/15 |
| | | | A reference that indicates the table or text maintained by the Source Qualifier | |

| | |
|---|---|
| **Segment:** | **LQ** Industry Code |
| **Position:** | 400 |
| **Loop:** | LM Optional (Must Use) |
| **Level:** | Detail |
| **Usage:** | Mandatory |
| **Max Use:** | 100 |
| **Purpose:** | Code to transmit standard industry codes |
| **Syntax Notes:** | 1 If LQ01 is present, then LQ02 is required. |
| **Semantic Notes:** | |
| **Comments:** | |
| **Notes:** | *Use to identify codes, as appropriate, consistent with management information requirements.* |

## Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | LQ01 | 1270 | Code List Qualifier Code | O ID 1/3 |

Code identifying a specific industry code list

| | |
|---|---|
| 0 | Document Identification Code |

Codes that subclassify a transaction

| | |
|---|---|
| 78 | Project Code |

Codes that relate a transaction to special programs, exercises, projects, operations, or other purposes
*Use only in SPR cancellation, SPR inquiry, SPR substitute acceptance and SPR substitute rejection transactions.*

| | |
|---|---|
| 80 | Advice Code |

Instructions to transaction recipients when narratives cannot be transmitted
*Use only in SPR cancellation, SPR inquiry, SPR substitute acceptance and SPR substitute rejection transactions.*

| | |
|---|---|
| 83 | Supply Condition Code |

Classifies material by readiness for issue and use, describes actions underway to change the status of material, or identifies material as excess or not serviceable
*Use only in SPR cancellation, SPR inquiry, SPR substitute acceptance and SPR substitute rejection transactions.*

| | |
|---|---|
| 99 | Purpose Code |

Codes that inform the material owner why an inventory balance is being reserved
*Use only in SPR cancellation, SPR inquiry, SPR substitute acceptance and SPR substitute rejection transactions.*

| | |
|---|---|
| A6 | Freight Forwarder Number |

Representatives designated by a country to accomplish or control shipments of Foreign Military Sales material
*Use with SPR SA transactions in conjunction with the structured MAPAC (2/N103/320 code A2) to identify the country representative or freight forwarder expected to receive shipments and documentation.*

| | |
|---|---|
| A9 | Supplementary Address |

<div style="text-align:center">

Identifies the originating organization's unique logistics information

</div>

|  |  |  | ED | Coast Designation Code |  |  |
|--|--|--|----|------------------------|--|--|

The location of the consignee

***Use only in SPR cancellation, SPR inquiry, SPR substitute acceptance and SPR substitute rejection transactions.***

| Must Use | LQ02 | 1271 | Industry Code | | X | AN 1/30 |
|----------|------|------|---------------|--|---|---------|

Code indicating a code from a specific industry code list

| Segment: | **FST** Forecast Schedule |
|---|---|
| Position: | 410 |
| Loop: | FST      Optional (Must Use) |
| Level: | Detail |
| Usage: | Optional (Must Use) |
| Max Use: | 1 |
| Purpose: | To specify the forecasted dates and quantities |

| Syntax Notes: | 1 | If either FST06 or FST07 is present, then the other is required. |
|---|---|---|
| | 2 | If either FST08 or FST09 is present, then the other is required. |

| Semantic Notes: | 1 | If FST03 equals "F" (indicating flexible interval), then FST04 and FST05 are required. FST04 would be used for the start date of the flexible interval and FST05 would be used for the end date of the flexible interval. |
|---|---|---|

| Comments: | 1 | As qualified by FST02 and FST03, FST04 represents either a discrete forecast date, the first date of a forecasted bucket (weekly, monthly, quarterly, etc.) or the start date of a flexible interval. |
|---|---|---|
| | 2 | FST06 qualifies the time in FST07. The purpose of the FST07 element is to express the specific time of day in a 24-hour clock to satisfy "just-in-time" requirements. As an alternative, the ship/delivery pattern segment (SDP) may be used to define an approximate time, such as a.m. or p.m. |

Notes: *1. Use one or multiple repetitions of the 2/FST/410 segment for SPR cancellation, SPR substitute acceptance, SPR substitute rejection, and SPR inquiry transactions to identify the quantity, support date, and suffix code, as needed, for the transaction.*

*2. Use one or multiple 2/FST/410 loop iterations for SPR, SPR SA and SPR modification transactions to identify and, as needed, stratify applicable SPR forecast quantities by related support dates and suffix code.*

### Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | FST01 | 380 | Quantity | M   R  1/15 |

Numeric value of quantity

*1. Express as a number with no decimal.*

*2. Use in SPR, SPR SA and SPR inquiry transactions to identify the forecast quantity.*

*3. Use in SPR substitute acceptance transactions to identify the quantity for which a substitute is acceptable.*

*4. Use in SPR rejection transactions to identify the quantity for which a substitute is not acceptable.*

*5. Use in SPR modification transactions to identify the revised SPR forecast quantity.*

*6. Use in SPR cancellation transactions to identify the forecast quantity to be cancelled.*

| Must Use | FST02 | 680 | Forecast Qualifier | M   ID 1/1 |
|---|---|---|---|---|

Code specifying the sender's confidence level of the forecast data or an action associated with a forecast

| D | Planning |
|---|---|

*Use only for SPR, SPR SA, SPR substitute acceptance, SPR substitute rejection, and SPR inquiry transactions.*

| W | Cancellation |
|---|---|

|  |  |  | *Use only for SPR cancellation transactions.* | | |
|  |  |  | X | Modification | |
|  |  |  | *Use only for SPR modification transactions.* | | |
| Must Use | FST03 | 681 | **Forecast Timing Qualifier** | M | ID 1/1 |
|  |  |  | Code specifying interval grouping of the forecast | | |
|  |  |  | D | Discrete | |
|  |  |  | *Use to indicate all forecast quantities are discrete quantities.* | | |
| Must Use | FST04 | 373 | **Date** | M | DT 6/6 |
|  |  |  | Date (YYMMDD) | | |

*Use in SPR, SPR SA, SPR substitute acceptance, SPR substitute rejection, SPR cancellations and SPR inquiry transactions to identify the specific support date (i.e., the date on which program related requisitions will be initiated). Use in SPR modification transactions to identify the revised support date.*

| Not Used | FST05 | 373 | **Date** | O | DT 6/6 |
|  |  |  | Date (YYMMDD) | | |
| Not Used | FST06 | 374 | **Date/Time Qualifier** | X | ID 3/3 |
|  |  |  | Code specifying type of date or time, or both date and time | | |
| Not Used | FST07 | 337 | **Time** | X | TM 4/8 |

Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

|  | FST08 | 128 | **Reference Identification Qualifier** | X | ID 2/3 |
|  |  |  | Code qualifying the Reference Identification | | |
|  |  |  | W8 | Suffix | |
|  |  |  | Differentiates between partial actions taken on the original transaction | | |
|  |  |  | *Use to identify the suffix code associated with the 2/REF/140 transaction number and quantity.* | | |
|  | FST09 | 127 | **Reference Identification** | X | AN 1/30 |

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

| Not Used | FST10 | 783 | **Planning Schedule Type Code** | O | ID 2/2 |
|  |  |  | Code identifying type of planning schedule used | | |

| | | |
|---|---|---|
| **Segment:** | **LM** Code Source Information | |
| **Position:** | 430 | |
| **Loop:** | LM | Optional |
| **Level:** | Detail | |
| **Usage:** | Optional | |
| **Max Use:** | 1 | |
| **Purpose:** | To transmit standard code list identification information | |
| **Syntax Notes:** | | |
| **Semantic Notes:** | | |
| **Comments:** | 1 LM02 identifies the applicable industry code list source information. | |
| **Notes:** | *1. Use this 2/LM/430 loop to identify coded information maintained in departmental or agency documentation.* | |
| | *2. Use this 2/LM/430 loop only in SPR, SPR SA, and SPR modification transactions to identify data associated with the forecast quantities provided in the 2/FST/410 segment.* | |

### Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | LM01 | 559 | Agency Qualifier Code | M ID 2/2 |
| | | | Code identifying the agency assigning the code values | |
| | | | DF Department of Defense (DoD) | |
| Not Used | LM02 | 822 | Source Subqualifier | O AN 1/15 |
| | | | A reference that indicates the table or text maintained by the Source Qualifier | |

| Segment: | **LQ** Industry Code |
|---|---|
| Position: | 440 |
| Loop: | LM        Optional |
| Level: | Detail |
| Usage: | Mandatory |
| Max Use: | 100 |
| Purpose: | Code to transmit standard industry codes |
| Syntax Notes: | 1    If LQ01 is present, then LQ02 is required. |
| Semantic Notes: | |
| Comments: | |
| Notes: | *Use to identify codes, as appropriate, consistent with management information requirements.* |

### Data Element Summary

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | LQ01 | 1270 | **Code List Qualifier Code** | O    ID 1/3 |

Code identifying a specific industry code list

**78**            Project Code

Codes that relate a transaction to special programs, exercises, projects, operations, or other purposes
*Must use for original SPR and SPR SA transactions. Use in SPR modification transactions to identify the revised project code.*

**80**            Advice Code

Instructions to transaction recipients when narratives cannot be transmitted
*Use as needed for SPR and SPR SA transactions.*

**83**            Supply Condition Code

Classifies material by readiness for issue and use, describes actions underway to change the status of material, or identifies material as excess or not serviceable
*Use for SPR and SPR SA transactions to identify the supply condition of the required material; otherwise, do not use.*

**99**            Purpose Code

Codes that inform the material owner why an inventory balance is being reserved
*Use for SPR and SPR SA transactions to identify the purpose of the required material.*

**ED**            Coast Designation Code

The location of the consignee
*Use for original SPR and SPR SA transactions to identify the relative consignee location.  Use in SPR modification transactions to identify the revised relative consignee location.*

| Must Use | LQ02 | 1271 | **Industry Code** | X    AN 1/30 |

Code indicating a code from a specific industry code list

| Segment: | **SE** Transaction Set Trailer |
|---|---|
| Position: | 020 |
| Loop: | |
| Level: | Summary |
| Usage: | Mandatory |
| Max Use: | 1 |
| Purpose: | To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments) |
| Syntax Notes: | |
| Semantic Notes: | |
| Comments: | 1 SE is the last segment of each transaction set. |

**Data Element Summary**

| | Ref. Des. | Data Element | Name | Attributes |
|---|---|---|---|---|
| Must Use | SE01 | 96 | **Number of Included Segments** | M N0 1/10 |
| | | | Total number of segments included in a transaction set including ST and SE segments | |
| Must Use | SE02 | 329 | **Transaction Set Control Number** | M AN 4/9 |
| | | | Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set | |
| | | | ***Cite the same number as the one cited in ST02.*** | |

# NIST Technical Publications

## Periodical

**Journal of Research of the National Institute of Standards and Technology**—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

## Nonperiodicals

**Monographs**—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

**Handbooks**—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

**Special Publications**—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

**National Standard Reference Data Series**—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

**Building Science Series**—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

**Technical Notes**—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

**Voluntary Product Standards**—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

*Order the* **following** *NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.*

**Federal Information Processing Standards Publications (FIPS PUB)**—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

**NIST Interagency or Internal Reports (NISTIR)**—The series includes interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is handled by sales through the National Technical Information Service, Springfield, VA 22161, in hard copy, electronic media, or microfiche form. NISTIR's may also report results of NIST projects of transitory or limited interest, including those that will be published subsequently in more comprehensive form.